

Printing date 18.05.2021

Version number 2

Revision: 18.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: SHERAprint-gingiva · Article number: SD400101 • 1.2 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. · Application of the substance / the mixture: 3D printing material 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SHERA Werkstoff-Technologie GmbH & Co. KG Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de + 49 (0) 54 43 - 99 33 - 0 · Further information obtainable from: Department of product security. · 1.4 Emergency telephone number: Giftinformationszentrum-Nord: +49 (0) 551-19240 (Information in german or english) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008: Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Hazard pictograms: GHS07 GHS09 · Signal word: Warning · Hazard-determining components of labelling: Trimethylolpropanformalacrylat 2,2-bis(acryloyloxymethyl)butyl acrylate Phosphine oxide phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements: P261 Avoid breathing dust / fume / gas / mist / vapours / spray. P273 Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280 P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. (Contd. on page 2) GB



Printing date 18.05.2021

Version number 2

Revision: 18.05.2021

Trade name: SHERAprint-gingiva

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents / container in accordance with local / regional / national / international regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment:

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 \cdot **Description:** Acrylic/methacrylate resins with additives.

CAS: 66492-51-1	Trimethylolpropanformalacrylat	
EINECS: 266-380-7 Reg.nr.: 01-2119976303-36	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
	Acrylic resin	10-40%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 444649-70-1	Acrylate resin	10-40%
EC number: 814-233-8 Reg.nr.: 01-2120271347-53	Aquatic Chronic 2, H411	
CAS: 15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate	1-5%
EINECS: 239-701-3 Index number: 607-111-00-9 Reg.nr.: 01-2119489896-11	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 75980-60-8	Phosphine oxide	0.1-2.5%
EINECS: 278-355-8 Index number: 015-203-00-X Reg.nr.: 01-2119972295-29	Repr. 2, H361f; Aquatic Chronic 2, H411; Skin Sens. 1, H317	
CAS: 162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0.1-5%
ELINCS: 423-340-5 Index number: 015-189-00-5 Reg.nr.: 01-2119489401-38	Skin Sens. 1, H317; Aquatic Chronic 4, H413	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

In case of skin irritation, seek medical treatment.

Remove dirty clothing and wash before using again.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAprint-gingiva

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fire with alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon dioxide (CO₂). Carbon monoxide (CO). Pyrolysis products, toxic.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Use respiratory protective device against the effects of fumes / dust / aerosol. Wear protective clothing. Avoid contact with skin and eyes. 6.2 Environmental precautions Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers / surface or ground water. 6.3 Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Devices with local extraction are to be used for open handling. Ensure good ventilation / exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- \cdot Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.

Keep container in a well-ventilated, cool and dry place.

Store only in the tightly closed original container at room temperature.

Keep away from light.

Might polymerize with high heat release.

Storage temperature between 4 and 28°C.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Do not store in a protective gas environment, as oxygen (in the air) is required for stabilisation. Keep container tightly sealed.

SHERA[®]

Printing date 18.05.2021

Version number 2

Trade name: SHERAprint-gingiva

(Contd. of page 3)

Revision: 18.05.2021

· Storage class: No information available.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Ensure good ventilation / exhaustion at the workplace.

Pregnant women should strictly avoid inhalation or skin contact.

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing.

OFOTION						
		101001	200	obomu	roportia	
SECTION	9. FIN					

- \cdot 9.1 Information on basic physical and chemical properties
- General Information
- · Colour: · Odour:

Pink characteristic

(Contd. on page 5)

GB





Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAprint-gingiva	
--------------------------------	--

	(Contd. of page
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	>100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>100 °C
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	500 - 1000 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
· · ·	Hot dotominou.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health a	nd
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	0.0 %
Change in condition:	
Evaporation rate	Not determined.
Information with regard to physical hazard class	es
Explosives	Void.
Flammable gases	Void.
Aerosols	Void.
Oxidising gases	Void.
Gases under pressure	Void.
Flammable liquids	Void.
Flammable solids	Void.
Self-reactive substances and mixtures	Void.
Pyrophoric liquids	Void.
r yrophono nguluð	vulu.
Puranharic solide	Void
Pyrophoric solids	Void.
Self-heating substances and mixtures	Void.
Self-heating substances and mixtures Substances and mixtures, which emit flammable	Void.
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void. Void.
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void. Void. Void.
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void. Void. Void. Void. Void.
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void. Void. Void. Void. Void. Void.
Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void. Void. Void. Void. Void.

(Contd. on page 6)



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAprint-gingiva

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No data available.
- · 10.2 Chemical stability No decomposition if used according to specifications.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid
- The product hardens under the influence of visible and UV light. Therefore, keep them in closed containers at 4 $^{\circ}$ C -28 $^{\circ}$ C with complete exclusion of light.
- 10.5 Incompatible materials
- Oxidizing agents.
- Reducing agents. Acids.
- Alkalis (alkalis).
- Metal.

· 10.6 Hazardous decomposition products

If the product is exposed to fire, it can release caustic acrylate vapours.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

75980-60-8 Phosphine oxide

Oral LD50 >5,000 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rat)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral LD50 >2,000 mg/kg (Rat) (OECD 402)

· Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye irritation.
- \cdot Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity: 75980-60-8 Phosphine oxide

EC50/48 h 3.53 mg/l (Daphnia (Daphnia magna))

EC10 1.56 my (Algae)

(Contd. on page 7)

GB



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAprint-gingiva

(Contd. of page 6) EC50/72 h >2.01 mg/l (Algae) LC50/48 h 6.53 mg/l (Fish) 162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide LC50/96 h >0.09 mg/l (Fish) EC50/48 h >1.175 mg/l (Daphnia (Daphnia magna)) NOEC >0.008 mg/l (Daphnia (Daphnia magna)) 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. · 12.7 Other adverse effects · Remark: Toxic for fish. · Additional ecological information: · General notes: Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Trimethylolpropanformalacryla Acrylatharz)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Trimethylolpropanformalacrylat, Acryla resin), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Trimethylolpropanformalacrylat, Acryla resin)

____GB



Printing date 18.05.2021

Version number 2

Revision: 18.05.2021

Trade name: SHERAprint-gingiva

14.0 Transport becaude ((Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles.
14.4 Packing group	-
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant: Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an
	articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 30 ml
Transport category:	3
Tunnel restriction code:	-
IMDG	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S
	(TRIMETHYLOLPROPANFORMALACRYLAT
	ACRYLATHARZ), 9, III

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 9)

[–] GB



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAprint-gingiva

(Contd. of page 8)

· National regulations:

- Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.
- Employment restrictions concerning pregnant and lactating women must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- · Department issuing SDS: Department of product security.

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation -- Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 * * Data compared to the previous version altered. GB