

Printing date 09.02.2021 Version number 5 Revision: 09.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SHERAISOLEX

- Article number: 70108

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

 \cdot Application of the substance / the mixture: Coating

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de

+ 49 (0) 54 43 - 99 33 - 0

- · Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:

Giftinformationszentrum-Nord +49 (0) 551-19240 (Information in German or English)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008:

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms:



Signal word: Danger

- Hazard-determining components of labelling:

Sulfonic acids, C10-18-alkane, sodium salts

· Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements:

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

- GI



Printing date 09.02.2021 Version number 5 Revision: 09.02.2021

Trade name: SHERAISOLEX

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

Dangerous compor	nents:	
	glycerol substance with a Community workplace exposure limit	1-50%
	Sulfonic acids, C10-18-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	10-25%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: After contact with skin, wash immediately with plenty of water and soap.
- · After eye contact: In case of troubles or persistent symptoms, consult an ophthalmologist.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked / spilled product.

- · 6.2 Environmental precautions Do not allow to enter sewers / surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)



Printing date 09.02.2021 Version number 5 Revision: 09.02.2021

Trade name: SHERAISOLEX

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

<u>•</u>	
· Ingredients with lin	nit values that require monitoring at the workplace:
56-81-5 glycerol	
WEL (Great Britain)	Long-term value: 10 mg/m ³
AGW (Germany)	Long-term value: 200 E mg/m ³
, , , , , , , , , , , , , , , , , , , ,	2 (I);DFG, Y

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

 \cdot 9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Odour:
Melting point/freezing point:

Fluid
Yellow tint
characteristic
Undetermined.

 \cdot Boiling point or initial boiling point and boiling

range Undetermined. • Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

(Contd. on page 4)



Printing date 09.02.2021 Version number 5 Revision: 09.02.2021

Trade name: SHERAISOLEX

(Contd. of page 3)

· Flash point: Not applicable.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Decomposition temperature:** Not determined.

· pH at 20 °C

Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

• water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not determined.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

9.2 Other information

Appearance:

• Form: Fluid • Important information on protection of health and

environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

Organic solvents: 46.0 %
 Water: 40.0 %
 VOC (EC): 0.00 %
 Solids content: 0.0 %

Change in condition:

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void. · Flammable gases Void. · Aerosols Void. · Oxidising gases Void. · Gases under pressure Void. · Flammable liquids Void. · Flammable solids Void. · Self-reactive substances and mixtures Void. · Pyrophoric liquids Void. · Pvrophoric solids Void. · Self-heating substances and mixtures Void.

Substances and mixtures, which emit flammable gases in contact with water
 Oxidising liquids
 Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available.
- · 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)



Printing date 09.02.2021 Version number 5 Revision: 09.02.2021

Trade name: SHERAISOLEX

(Contd. of page 4)

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity: No data available.
- LD/LC50 values relevant for classification:

68037-49-0 Sulfonic acids, C10-18-alkane, sodium salts

Oral LD50 >2,000 mg/kg (Rat)

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

68037-49-0 Sulfonic acids, C10-18-alkane, sodium salts

EC50 10-100 mg/I (Bacterial)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

(Contd. on page 6)



Printing date 09.02.2021 Version number 5 Revision: 09.02.2021

Trade name: SHERAISOLEX

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void.	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void.	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void.	
· 14.4 Packing group · ADR, IMDG, IATA	Void.	
· 14.5 Environmental hazards: · Marine pollutant:	No.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	y to IMO Not applicable.	
· UN "Model Regulation":	Void.	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

- · Department issuing SDS: Department of product security.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)



Version number 5 Printing date 09.02.2021 Revision: 09.02.2021

Trade name: SHERAISOLEX

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PRT: Persistent Ripaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

* Data compared to the previous version altered.

(Contd. of page 6)